To: David Gratson [dgratson@neptuneinc.org]

Cc: [] Bcc: []

From: CN=Steve Vandegrift/OU=ADA/O=USEPA/C=US

Sent: Thur 7/19/2012 7:35:33 PM
Subject: Re: Pavillion ADQ Report
Vandegrift.Steve@epamail.epa.gov

(580)436-8684 (580)436-8528

vandegrift.steve@epa.gov dgratson@neptuneinc.org rshircliff@neptuneinc.org

(505) 514-0019 505-660-8521 505-662-0707 X29 505-662-0500

http://www.neptuneandco.com http://www.neptuneandco.com

(embedded image)

Go ahead and make your changes. I am waiting for Holly to get off a call. Obs #13 may have additional changes. Everything else is good.

Steve Vandegrift, QA Manager Ground Water and Ecosystems Restoration Division NRMRL/ORD/USEPA P.O. Box 1198 919 Kerr Research Dr. Ada, OK 74820 (580)436-8684 (voice) (580)436-8528 (fax) vandegrift.steve@epa.gov

From: David Gratson <dgratson@neptuneinc.org>
To: Steve Vandegrift/ADA/USEPA/US@EPA

Date: 07/19/2012 02:30 PM

Subject: Re: Pavillion ADQ Report

Should I wait on Holly to send you responses on this?

Only substantial addition/clarification is that both of those samples (EPAMW02-0412-1 and EPAMW02-0412-2) had their internal standard areas above the associated standard (alkyl phenols) internal standard area counts. I don't know that there is criteria for the internal standard areas but I wanted to point that out, since they use internal standard calibration.

Dave

On Thu, Jul 19, 2012 at 9:15 AM, Steve Vandegrift <Vandegrift.Steve@epamail.epa.gov> wrote: Dave-

Please see attached for comments. I know that Holly is reviewing it also, so more will probably be forthcoming.

(See attached file: sv 7\_19 TO78-2epa Final.docx)

Steve Vandegrift, QA Manager Ground Water and Ecosystems Restoration Division NRMRL/ORD/USEPA P.O. Box 1198 919 Kerr Research Dr. Ada, OK 74820 (580)436-8684 (voice) (580)436-8528 (fax) vandegrift.steve@epa.gov

David Gratson ---07/19/2012 07:17:36 AM---Attached is our combined ADQ Report, that includes all previous versions into one single report. Pl

From: David Gratson <a href="mailto:dgratson@neptuneinc.org">dgratson@neptuneinc.org</a>

To: Steve Vandegrift/ADA/USEPA/US@EPA, Holly Ferguson/CI/USEPA/US@EPA Co: Lauren Drees/CI/USEPA/US@EPA, Rebecca Shircliff@neptuneinc.org>

Date: 07/19/2012 07:17 AM Subject: Pavillion ADQ Report

Attached is our combined ADQ Report, that includes all previous versions into one single report. Please review, I have highlighted one sentence that was not in the Observations section in the prior (Version 3) report that you reviewed.

Thank you,

Dave

David Gratson, CEAC

Environmental Chemist Neptune and Company, Inc. 1505 15th St..Suite B Los Alamos, NM 87544

Best way to reach me -->(505) 514-0019 (will forward to my cell phone if no answer) Second best way ---> Cell: 505-660-8521

Work Voice: 505-662-0707 X29

Fax: 505-662-0500

http://www.neptuneandco.com

"Nature holds the key to our aesthetic, intellectual, cognitive and even spiritual satisfaction." E. O. Wilson.

Confidentiality Notice: This email, including all attachments is for the sole use of the intended recipient or recipients and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender and destroy all copies of this message. (See attached file: TO78-2epa Final.docx)

--

David Gratson, CEAC

Environmental Chemist Neptune and Company, Inc. 1505 15th St..Suite B Los Alamos, NM 87544

Best way to reach me -->(505) 514-0019 (will forward to my cell phone if no answer) Second best way ---> Cell: 505-660-8521 Work Voice: 505-662-0707 X29 Fax: 505-662-0500 http://www.neptuneandco.com

"Nature holds the key to our aesthetic, intellectual, cognitive and even spiritual satisfaction." E. O. Wilson.

Confidentiality Notice: This email, including all attachments is for the sole use of the intended recipient or recipients and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender and destroy all copies of this message.